

POWER CaS-Cu

CALCIUM-SULPHUR-COPPER FERTILIZER FOR FOLIAR APPLICATION



IDENTIFICATION POWER CaS-Cu

Calcium-Sulfur-Copper fertilizer in wetable powder form for foliar use.

- ✓ Improves quality (color, size, consistency) and extends the shelf life of fruits and vegetables.
- ✓ Strengthens trees and plants against diseases and pests and acts against fungus and bacteria.
- ✓ Increases next year's flower blooming and pollination.

APPLICATION

POWER CaS-Cu foliar spray: 4-15 kg in 1000 kg water.

COMBINATION

POWER CaS-Cu cannot be combined with alkaline formulations. It can be combined with pyrethrins.

INSTRUCTIONS

Summer sprays should take place late in the afternoon. Add a quantity of water in an empty small tank, this quantity should be about 3 times the volume of the required **POWER CaS-Cu**. Pour **POWER CaS-Cu** into the tank. Continue stirring until the mixture becomes a smooth cream. Allow the mixture to settle for a few minutes. Fill with water until you estimate that it can be transferred to the spraying tank. The spraying tank must have a filter and a stirrer.

If you have previously sprayed with an oil product or captan you should apply CaS-Cu after 15 days.

ELEMENTS COMPOUNDS	SULFUR (S)	CALCIUM (Ca)	COPPER (Cu)
w/v %	60%	30%	3%

APPLICATION POWER CaS-Cu PERCULTIVATION

Peach tree:

1. In November, during leaf fall: 12-15 kg/1000 liters of water.
2. In February-March: 6-7,5 kg/1000 liters of water.
3. Before leaf appearance, during buds augmentation: 7 kg/1000 liters of water.
4. Before the flowering begins, (in the pink bud): 3 kg/1000 liters of water.

Kiwi:

1. End of October, after harvest: 7-8 kg/1000 liters of water.
2. In February-March: 10-15 kg/1000 liters of water.
3. End of April and every 15-20 days: 5 kg/1000 liters of water.

Apple & Pear tree:

1. In November, during leaf fall: 12-15 kg/1000 liters of water.
2. In January-February: 12-15 kg/1000 liters of water.
3. In the green top stage: 7 kg/1000 liters of water.
4. In the pink top stage: 3 kg/1000 liters of water.
5. During drop of petals and every 20-30 days: 3 kg/1000 liters of water.

Cherry, Almond, Plums & Apricot tree:

1. In November, during leaf fall: 12-15 kg/1000 liters of water.
2. In December-January: 15 kg/1000 liters of water.
3. In February-March: 7 kg/1000 liters of water.

Olive tree:

1. After harvesting in October: 7 kg/1000 liters of water.
2. In January-February: 7 kg/1000 liters of water.
3. In March-April: 5 kg/1000 liters of water.
4. In June-July: 3 kg/1000 liters of water.

Vineyard:

1. Before pruning: 10-15 kg/1000 liters of water.
 2. After pruning: 7 kg/1000 liters of water.
 3. Throughout Spring and Summer: 3 kg/1000 liters of water.
- Sprays should stop 30 days before harvesting.

Asparagus:

1. In autumn harvest: 15 kg/1000 liters of water.
2. When the plants come up and every 15-20 days: 5 kg/1000 liters of water.

Citrus trees:

Throughout the cultivation period spray with 3 kg/1000 liters.

Field crops, Greenhouses, Horticulture & Floriculture:

Throughout the cultivation period spray with 3 kg/1000 liters.