





## TYPE AND FIELD OFACTION

STANLEY is a high value nutrient serum, totally leaf assimilable and a unique liquid biostimulator that enhances plant defense against viruses. It is a plant origin product as it is produced by plants and seeds, rich in vitamins, phytohormones, enzymes and amino acids.

Verified, Certified by Universities in Europe and United States, with E.C. Registration.

The only one world wide with certified composition and guaranteed results as it takes part in research programs of independent researchers at the largest U.S. and European university institutes for 16 years, demonstrating its action continuously.

## By applying the product, it is achieved:

- Empowerment of the plant against viral infections, other diseases and adverse conditions.
- Rapid recovery of the normal function of the plant and rapid renewal. Nourishing the crop.
- Enhancement of vegetation, flowering, fruit setting and rapid growth of the root system.
- Increase of production.
- Excellent improvement of agricultural product's quality, by increasing the size of their fruits and sugars.

# **STANLEY** specifically,

Stimulates the physiological functions of the plant. 

Activates its metabolic mechanisms.

- ✓ Strengthens the plant organism and helps to overcome dangerous "stress" of various reasons and to defend itself more effectively against possible viruses, diseases and enemies.
- ✓ Covers the foliar and vegetative surface of the plant with an extremely nutritious and biologically valuable nutrient film and enters.

**CONFIRMED ACTION AND GUARANTEED RESULTS** 

### **STANLEY CONTAINS**

A wide range of enzymatic factors and enzymes. A group of selected AMINO ACIDS (Valine, Leucine, Isoleucine, Phenylalanine, Threonine, Methionine, Tryptophan, Lysine) VITAMINS (B1, C, A, E, D3, K3), GROWTH REGULATORS and STABILIZING FACTORS.

Synthesis & Compounds	(%w/w)	(%w/v)
AMINOACIDS (L-)	2%	2,3%
Threonine	0,7%	0,8%
Lysine	0,7%	0,8%
Methionine	0,4%	0,5%
Tryptophan	0,2%	0,2%

#### VITAMINS (%w/w)

Vitamin C 2,5mg/kg, Vitamin A 0,25mg/kg, Vitamin E 0,43mg/kg, Vitamin B1 0,15mg/kg, Vitamin K3 0,05mg/kg, Vitamin D3 0,5µg/kg

#### **APPLICATION**

## STANLEY is applied to all crops and to all stages of their development.

The first spraying is done with the appearance of the first leaves - **for perennial crops**, or immediately after transplanting, **for annuals**. Sprays are repeated every 10-12 days. We take care to cover the new parts of the plant, leaves and shoots.

#### DOSAGE:

It is applied by foliar sprayings by adding 1-6 kg of Stanley into 1000 liters of water.

Repeat the sprayings every **7-10 days** to cover any new parts of plants. Avoid spraying during the noon hours. Do not mix it with other products when applied for recovery from viral diseases. When applied for its high nutrient value as a growth developer, it can be used by mixing it with other fertilizers or pesticides.

#### **COMBINATION WITH OTHER PRODUCTS - CHEMICALS:**

It **can be combined**, mixed or applied with all kind of Insecticides, Pesticides, Fungicides and Weed killer products.

However it would be better to test compatability, by mixing a small amount of the product with the substance you would like to combine it with.







